Eugenol

اوژنول

USP GRADE

- **سیستم مدیریت تضمین کیفیت تجهیزات پزشکی ISO 13485-2016 از US cert تحت نظارت IAS**
- سیستم مدیریت کیفیت ISO 9001-2015
- سیستم مدیریت زیست محیطی ISO 14001-2015
- سیستم مدیریت ایمنی و بهداشت حرفه ای ISO 18001-2007
- سیستم مدیریت شکایات مشتریان ISO 10002-2014
- سیستم اندازه گیری و آنالیز رضایتمندی مشتریان ISO 10004-2012

ساخته شده در شرکت پردیس مروابن فارمد:
دفتر مرکزی: ایران، تهران، خیابان آزادی، ساختمان برجساز، بلوک A، طبقه ۶، واحد ۲۷.
شماره تماس: ۰۹۹۰۹۹۱۵۱۹۱ - ۰۲۱۶۶۵۸۱۴۳۸
ایمیل: support@morvabon.com
آدرس کارخانه: تهران، پارک علم و فناوری پردیس، شماره ۳۰۵

MORVABON®

اوژنول

اوژنـــول مروابـن، روغـن ضـد عفـونی کننـده، ضـد درد و التیـام بخـش می باشـد. زمـانی کـه بـا زینـک اکسـاید مخلـوط شـود، بطـور خـاص بـرای مـوارد بسیاری بکار می رود.

ترکیبات:

- روغن **اوژنول** خالص

کاربـــردها:

- درمان پالپ های باز و ماده ضدعفونی کننده ریشه دندان.
- انسداد موقت ریشه دندان در قسمتی از پالپ که روباز است (بستن پالپ)
- ضدعفونی کننده ریشه دندان.
- درمان خشکی حفره که ممکن است بعد از استخراج ایجاد شود.

احتیاط:

- قبل از شـروع به کار، دسـتورالعـمل استفاده را به دقـت مطالـعه فرمائـید.
- استفاده از رابردم در طول کار با این محصول ضروری می باشد.
- هنگام استفاده از این محصول، از عینک محافظ، ماسک و دستکش استفاده کنید.
- از تماس با بافت های نرم، چشم و پوست جلوگیری شود.
  این محصول را تزریق نکنید.
- فقط برای مصارف دندانپزشکی استفاده شود.
- در صورت تماس با چشم: با مقدار زیادی آب شستشو داده شود. اگر سوزش ادامه یافت به مرکز پزشکی مراجعه شود.
- در صورت بلعیدن: مقدار زیادی آب خورانده شود و به مرکز پزشکی مراجعه شود.
- در صورت تماس با پوست: با آب و صابون بشویید. اگر سوزش ادامه یافت به مرکز پزشکی مراجعه شود.
- از استعمال برای بیمارانی که حساسیت به روغن اوژنول دارند خوداری شود.

هشدار:

- محصول را دور از نور قرار دهید.
- در دسترس کودکان قرار ندهید.
- محصول را پس از تاریخ انقضای درج شده بر روی ظرف استفاده نکنید.
- در بسته بندی اصلی، در دمای محیط نگهداری شود.

دستورالعمل استفاده:

انسـداد موقت:

- چند قطره از اوژنول را باپودر زینک اکساید بر روی یک قطعه اختلاط شیشه ای مخلوط کنید.
- با اسپاتول مخلوط کنید تا خمیر ضخیمی شکل بگیرد.
- حفره را آماده کنید و آن را بطور کامل خشک کنید.
- به روش متداول انسداد ایجاد نمایید.

ضـدعفـونی کردن ریشـه دندان:

- ریشه دندان را به طور کامل پاک کنید.
- یک یا دو قطره اوژنول را با یک پی پت پلاستیکی در محل بریزید.
- هر گونه مایع اضافی را با یک گلوله پنبه ای پاک کنید.

موارد منع مصرف:

- ایـن محصـول بـرای کـودکان، زنـان بـاردار، افـراد مسـن و بیمـار هـای خـاص منـع مصـرف نـدارد و میتوانـد بـرای همـه افـرادی کـه بـه ترکیبـات این محصول حساسیت ندارند استفاده شود.

scan me!
General Catalouge

دانلود کاتالوگ همه محصولات شرکت مروابن

Irritant

Protect from moisture

Store away from sunlight

Store at room temperature

For professional use only

support@morvabon.com
www.morvabon.com

Eugenol

& Antiseptic, analgesic sedative essential oil

USP GRADE

- ISO 13485: 2016, US cert, IAS
- ISO 9001: 2015, TÜV Certification
- ISO 14001: 2015, TÜV Certification
- ISO 18001: 2007, TÜV Certification
- ISO 10002: 2014, TÜV Certification
- ISO 10004: 2012, TÜV Certification

Manufaceturer

Head Office: No. 27, 6th Floor, A block
Borjsaz Bldg, Azadi Street, Tehran Province, Iran
+98 21 66 58 14 38 +98 990 991 5191

Factory Address: No. 305, Pardis Techno Park, Damavand Road

Email: support@morvabon.com

MORVABON®

EUGENOL (USP GRADE)

Morvabon Eugenol is an antiseptic, analgesic and sedative essential oil. When mixed with Zinc Oxide, it is specially recommended for many cases

Ingredient: Eugenol Oil

Intended Use:

- Treatment of exposed pulp and for the disinfection of the root canal.
- Temporary obturation of the root-canal where pulp is partially exposed (pulp capping)
- Antisepsis of the root-canal
- Treatment of Dry Socket that may develop after extraction

Direction for Use:

- **Temporary obturation:**
- Mix a few drops of Eugenol with Zinc Oxide powder on a glass mixing slab.
- Spatulate to form a thick paste
- Prepare the cavity and dry it thoroughly
- Obturate in the usual manner

- **Antisepsis of the root-canal:**
- Clean the root canal thoroughly
- Insert one or two drops of Eugenol with a plastic pipette.
- Remove any excess liquid with a cotton pellet.

Precautions:

- Carefully read and understand instructions before using.
- It's necessary to use rubber-dam while working with Eugenol.
- Use eye protection, mask and gloves when using Eugenol
- If accidental contact with soft tissues, eyes or skin
- occurs, immediately flush with plenty of water.
  For dental use only
- Eye contact – flush with copious amount of water.
- Seek medical attention if irritation persists.
- Ingestion–Drink plenty of water and refer to medical centers.
- Skin contact – wash with soap and water. Seek medical attention if irritation persists.
- It is not recommended for patients with allergy to eugenol oil.

contraindications:

- Protect from direct sunlight.
- Keep out of reach of children.
- Do not use after the expirtion date.
- Store in the original container at toom temperature.
- In case of consumption drink copious amount of water.
- Do not induce vomiting. Seek medical advice.

contraindications:

- This product is not contraindicated for children, pregnant women, the elderly and other specific diseases and can be used for all people who are not allergic to the active substance

scan me!
General Catalouge

دانلود کاتالوگ همه محصولات شرکت مروابن

support@morvabon.com
www.morvabon.com